

- 1470 Abrahamsson K., Bertilsson S., Chierici M., David R., Fransson A., Froneman P.W., Loren A. & Pakhomov E.A. (2004) Variations of biochemical parameters along a transect in the Southern Ocean with special emphasis on volatile halogenated organic compounds. *Deep-Sea Research II* 51: 2745-2756
- 1471 Adis J., Lhano M., Hill M., Junk W.J., Marques M.I. & Oberholzer H. (2004) What determines the number of juvenile instars in the tropical grasshopper, *Cornops aquaticum* (Leptysminae: Acrididae: Orthoptera)? *Studies in Neotropical Fauna and Environment* 39(2): 127-132
- 1472 Amssalu B., Nuru A., Radloff S.E. & Hepburn H.R. (2004) Multivariate morphometric analysis of honeybees of the Ethiopian region. *Apidologie* 35: 71-81
- 1473 Ansoorge I.J., Froneman P.W., Lutjeharms J.R.E., Bernard K.S., Bernard A., Lange L., Lukac D., Backeburg B., Blake J., Bland S., Burls N., Davies-Coleman M., Gerber R., Gildenhuis S., Hayes-Foley P., Ludford A., Manzoni T., Robertson E., Southey S., Swart S., Van Rensburg D. & Wynne S. (2004) An interdisciplinary cruise dedicated to understanding eddies upstream of the Prince Edward Islands. *South African Journal of Science* 100: 319-323
- 1474 Barber-James H.M. (2004) A Preliminary Investigation into the Influence of Turbulence on Larval Feeding in two species of Blackfly, *Simulium chatteri* Lewis and *Simulium nigrirarse* Coquillet (Diptera, Simuliidae), from the Great Fish River, South Africa. *Annals of the Eastern Cape Museums* 3: 16-24
- 1475 Bonnevie B.T., Craig A.J.F.K. & Hulley P.E. (2004) Additional morphological characteristics of Olive Thrushes and Karoo Thrushes. *Ostrich* 75: 75-76
- 1476 Bonnevie B.T. (2004) Song and breeding observations of suburban Olive Thrushes (*Turdus olivaceus olivaceus*) in Grahamstown, South Africa. *Ostrich* 75: 110-117
- 1477 Byrne M.J., Coetzee J., McConnachie A.J., Parasram W. & Hill M.P. (2004) Predicting climate compatibility of biological control agents in their region of introduction. *Proceedings of the XIth International Symposium on Biological control of Weeds* 28-35
- 1478 Chawanji A.S., Hodgson A.N. & Villet M.H. (2004) Sperm morphology in four species of African platypleurine cicadas (Hemiptera: Auchenorrhyncha: Cicadidae). *Proceedings of the Microscopy Society of Southern Africa* 34: 73
- 1479 Chierici M., Fransson A., Turner D.R., Pakhomov E.A. & Froneman P.W. (2004) Variability in the oceanic carbonate system and CO₂ fluxes in the surface waters along a transect in the Atlantic sector of the Southern Ocean. *Deep-Sea Research II* 51: 2773-2787
- 1480 Compton S.G. (2004) Why Old Maids stay sweet. *African Entomology* 12(2): 291-293
- 1481 Craig A.J.F.K. & Hulley P.E. (2004) Iris coloration in passerine birds: why be bright-eyed? *South African Journal of Science* 100: 584-588
- 1482 Downie D.A. & Gullan P.J. (2004) Phylogenetic analysis of mealybugs (Hemiptera: Coccoidea: Pseudococcidae) based on DNA sequences from three nuclear genes, and a review of the higher classification. *Systematic Entomology* 29: 238-259
- 1483 Downie D.A. (2004) Phylogeography in a galling insect, grape phylloxera, *Daktulosphaira vitifoliae* (Phylloxeridae) in the fragmented habitat of the Southwest USA. *Journal of Biogeography* 31: 1759-1768

- 1484 Ellis J.D., Hepburn H.R., Luckmann B. & Elzen P.J. (2004) Effects of soil type, moisture, and density on pupation success of *Aethina tumida* (Coleoptera: Nitidulidae). *Environmental Entomology* 33(4): 794-798
- 1485 Ellis Jr J.D., Hepburn H.R. & Elzen P.J. (2004) Confinement of small hive beetles (*Aethina tumida*) by Cape honeybees (*Apis mellifera capensis*). *Apidologie* 35: 389-396
- 1486 Ellis Jr J.D., Delaplane K.S., Richards C.S., Hepburn R., Berry J.A. & Elzen P.J. (2004) Hygienic behavior of Cape and European *Apis mellifera* (Hymenoptera: Apidae) toward *Aethina tumida* (Coleoptera: Nitidulidae) Eggs Oviposited in Sealed Bee Brood. *Annals of the Entomological Society of America* 97(4): 860-864
- 1487 Ellis Jr J.D., Rong I.H., Hill M.P., Hepburn H.R. & Elzen P.J. (2004) The susceptibility of small hive beetle (*Aethina tumida* Murray) Pupae to Fungal Pathogens. *American Bee Journal* 486-488
- 1488 Ellis Jr J.D., Hepburn R.H. & Elzen P.J. (2004) Confinement behaviour of Cape honey bees (*Apis mellifera capensis* Esch.) in relation to population densities of small hive beetles (*Aethina tumida* Murray). *Journal of Insect Behavior* 17(6): 835-842
- 1489 Erlandsson J. & McQuaid C.D. (2004) Spatial structure of recruitment in the mussel *Perna perna* at local scales: effects of adults, algae and recruit size. *Marine Ecology Progress Series* 267: 173-185
- 1490 Froneman P.W. (2004) Food web dynamics in a temperate temporarily open/closed estuary (South Africa). *Estuarine, Coastal and Shelf Science* 59: 87-95
- 1491 Froneman P.W. (2004) Zooplankton community structure and biomass in a southern African temporarily open/closed estuary. *Estuarine, Coastal and Shelf Science* 60: 125-132
- 1492 Froneman P.W. (2004) Protozooplankton community structure and grazing impact in the high Antarctic during austral summer 1998. *Deep-Sea Research II* 51: 2633-2643
- 1493 Froneman P.W., Balarin M. & Pakhomov E.A. (2004) Size fractionated primary production and biogenic carbon flux in the eastern Atlantic sector of the Southern Ocean in austral summer 1997-1998. *Deep-Sea Research II* 51: 2715-2729
- 1494 Froneman P.W. (2004) *In situ* feeding rates of the copepods *Pseudodiaptomus hessei* and *Acartia longipatella* in a temperate, temporarily open/closed Eastern Cape estuary. *South African Journal of Science* 100: 577-583
- 1495 Froneman P.W. & Bernard K.S. (2004) Trophic cascading in the Polar Frontal Zone of the Southern Ocean during austral autumn 2002. *Polar Biology* 27: 112-118
- 1496 Gillespie P., Klein H. & Hill M.P. (2004) Establishment of a weed biocontrol implementation programme in South Africa. *Proceedings of the XIth International Symposium in Biological control*. 400-406
- 1497 Gray D.R. & Hodgson A.N. (2004) The importance of a crevice environment to the limpet *Helcion pectunculus* (Patellidae). *Journal of Molluscan Studies* 60: 67-72
- 1498 Hepburn H.R. & Radloff S.E. (2004) The wing coupling apparatus and the morphometric analysis of honeybee populations. *South African Journal of Science* 100: 565-570

- 1499 Hepburn H.R., Radloff S.E. & Neumann P. (2004) Genetic variation in a natural honeybee populations, *Apis mellifera capensis*. *Naturwissenschaften* 91: 447-450
- 1500 Hernandez, M.C., Cordo H.A. & Hill M.P. (2004) Studies in Argentina on two new species of *Thrypticus* (Diptera: Dolichopodidae) as agents for the biological control of water hyacinth, *Eichhornia crassipes*. *Proceedings of the XI International Symposium on Biological Control of Weeds*. 117-120
- 1501 Hill M.P. & Julien M.H. (2004) The transfer of appropriate technology, key to the successful biological control of five aquatic weeds in Africa. *Proceedings of the XI International Symposium on Biological Control of Weeds*. 370-374
- 1502 Hill M.P. & Oberholzer I.G. (2004) The mirid *Eccritotarsus catarinensis* is an effective agent against water hyacinth in some areas of South Africa. *Proceedings of the XI International Symposium on Biological Control of Weeds*. 545-547
- 1503 Hulley P.E., Craig A.J.F.K., Underhill G.D., Bonnevie B.T., Nuttall R.J. & De Swardt D.H. (2004) Timing of moult and breeding in Cape White-eye *Zosterops pallidus* from three different geographical regions in South Africa. *Emu* 104: 353-358
- 1504 Kemp J.O.G. & Froneman P.W. (2004) Recruitment of ichthyoplankton and macrozooplankton during overtopping events into a temporarily open/closed southern African estuary. *Estuarine, Coastal and Shelf Science* 61: 529-537
- 1505 Lunt N., Hulley P.E. & Craig A.J.F.K. (2004) Active anting in captive Cape White-eyes *Zosterops pallidus*. *Ibis* 146: 360-362
- 1506 McConnachie A.J., Hill M.P., Byrne M.J. & de Wit M.P. (2004) The successful biological control of *Azolla filiculoides* in South Africa: an economic perspective. *Proceedings of the XI International Symposium on Biological Control of Weeds* 576-583
- 1507 McConnachie A.J., Hill M.P. & Byrne M.J. (2004) Field assessment of a frond-feeding weevil, a successful biological control agent of red water fern, *Azolla filiculoides*, in southern Africa. *Biological Control* 29: 326-331
- 1508 McQuaid C.D. & Froneman P.W. (2004) The Southern Ocean group at Rhodes University: seventeen years of biological oceanography in the Southern Ocean reviewed. *South African Journal of Science* 100: 571-577
- 1509 Pakhomov E.A. & Froneman P.W. (2004) Zooplankton dynamics in the eastern Atlantic sector of the Southern Ocean during the austral summer 1997/1998 – Part 1: community structure. *Deep-Sea Research II* 51: 2599-2616
- 1510 Pakhomov E.A. & Froneman P.W. (2004) Zooplankton dynamics in the eastern Atlantic sector of the Southern Ocean during the austral summer 1997/1998 – Part 2: grazing impact. *Deep-Sea Research II* 51: 2617-2631
- 1511 Pakhomov E.A., McClelland J.W., Bernard K., Kaehler S. & Montoya J.P. (2004) Spatial and temporal shifts in stable isotope values of the bottom-dwelling shrimp *Nauticaris marionis* at the sub-Antarctic archipelago. *Marine Biology* 144: 317-325
- 1512 Pakhomov E.A. (2004) Salp/krill interactions in the eastern Atlantic sector of the Southern Ocean. *Deep-Sea Research II* 51: 2645-2660
- 1513 Pirk C.W.W., Hepburn H.R., Radloff S.E. & Tautz J. (2004) Honeybee combs: construction through a liquid equilibrium process? *Naturwissenschaften* 91: 350-353

- 1514 Pirk C.W.W., Neumann P., Hepburn R., Moritz R.F.A. & Tautz J. (2004) Egg viability and worker policing in honey bees. *Proceedings of the National Academy of Sciences, Washington*. 101(23): 8649-8651
- 1515 Robertson M.P., Villet M.H. & Palmer A.R. (2004) A fuzzy classification technique for predicting species' distributions: applications using invasive alien plants and indigenous insects. *Diversity and Distributions* 10: 461-474
- 1516 Sanborn A.F., Villet M.H. & Phillips P.K. (2004) Body size and habitat influence endothermy in African platypleurine cicadas (Hemiptera: Cicadidae). *The FASEB Journal* 18: A1097
- 1517 Sanborn A.F., Villet M.H. & Phillips P.K. (2004) Endothermy in African platypleurine cicadas: the influence of body size and habitat (Hemiptera: Cicadidae). *Physiological and Biochemical Zoology* 77: 816-823
- 1518 Simon C.A., Kaiser H. & Britz P.J. (2004) Infestation of the abalone, *Haliotis midae*, by the sabellid, *Terebrasabella heterouncinata*, under culture conditions, and the influence of infestation on abalone growth. *Aquaculture* 232: 29-40
- 1519 Smith D.R., Warrit N. & Hepburn H.R. (2004) *Apis cerana* from Myanmar (Burma): unusual distribution of mitochondrial lineages. *Apidologie* 35: 637-644
- 1520 Villet M.H., Barker N.P. & Lunt N. (2004) Mechanisms generating biological diversity of the genus *Platypleura* Amyot & Serville 1843 (Hemiptera: Cicadidae) in southern Africa: implications of a preliminary molecular phylogeny. *South African Journal of Science* 100: 589-594
- 1521 Wells J.D., Lunt N. & Villet M.H. (2004) Recent African derivation of *Chrysomya putoria* from *C. chloropyga* and mitochondrial DNA parafly of cytochrome oxidase subunit one in blowflies of forensic importance. *Medical and Veterinary Entomology* 18: 445-448