

1905. Aebi, A. & Neumann, P. (2011). Endosymbionts and honey bee colony losses? *Trends in Ecology and Evolution* 26(10): 494.
1906. Antonio, E.S., Kasai, A., Ueno, M., Ishihi, Y., Yokoyama, H. & Yamashita, Y. (2011). Diet shift in the sand shrimp *Crangon Uritai* along the estuary-marine gradient. *Journal of Crustacean Biology* 31(4): 635-646.
1907. Barnes, R.S.K. & Ellwood, M.D.F. (2011). The significance of shore height in intertidal macrobenthic seagrass ecology and conservation. *Aquatic Conservation: Marine and Freshwater Ecosystems* 21: 614-624.
1908. Bissett, C. & Bernard, R.T.F. (2011). Demography of cheetahs in fenced reserves in South Africa: Implications for conservation. *South African Journal of Wildlife Research* 41(2): 181-191.
1909. Buchholz, S., Merkel, K., Spiwok, S., Imdorf, A., Pettis, J.S., Westervelt, D., Ritter, W., Duncan, M., Rosenkranz, P., Spooner-Hart, R. & Neumann, P. (2011). Organic acids and thymol: unsuitable for alternative control of *Aethina tumida* (Coleoptera: Nitidulidae)? *Apidologie* 42: 349-363.
1910. Coetzee, J.A., Hill, M.P., Byrne, M.J. & Bownes, A. (2011). A review of the biological control programmes on *Eichhornia crassipes* (C.Mart.) Solms (Pontederiaceae), *Salvinia molesta* D.S. Mitch. (Salviniaceae), *Pistia Stratiotes* L. (Araceae), *Myriophyllum aquaticum* (Vell.) Verdc. (Haloragaceae) and *Azolla filiculoides* Lam. (Azollaceae) in South Africa. *African Entomology* 19(2): 451-468.
1911. Coetzee, J.A., Bownes, A. & Martin, G.D. (2011). Prospects for the biological control of submerged macrophytes in South Africa. *African Entomology* 19(2): 469-487.
1912. Cole, V.J., McQuaid, C.D. & Nakin, M.D.V. (2011). Marine protected areas export larvae of infauna, but not of bioengineering mussels to adjacent areas. *Biological Conservation* 144: 2088-2096.
1913. Cole, V.J. & McQuaid, C.D. (2011). Broad-scale spatial factors outweigh the influence of habitat structure on the fauna associated with a bioengineer. *Marine Ecology Progress Series* 442: 101-109.
1914. Connan, M., Kelly, C.M.R., McQuaid, C.D., Bonnevie, B.T. & Barker, N.P. (2011). Morphological versus molecular identification of Sooty (*Phoebastria fusca*) and Light-mantled (*P. palpebrata*) albatross chicks. *Polar Biology* 34: 791-798.
1915. Costa, C., Tanner, G., Lodesani, M., Maistrello, L. & Neumann, P. (2011). Negative correlation between *Nosema ceranae* spore loads and deformed wing virus infection levels in adult honey bee workers. *Journal of Invertebrate Pathology* 108: 224-225.

1916. Craig, A.J.F.K., Hasson, M., Jordaens, K., Breman, F.C. & Louette, M. (2011). Range extension of the Lufira Masked Weaver *Ploceus ruweti*, endemic to Katanga province, Democratic Republic of Congo. *OSTRICH* 82(1): 77-78.
1917. Craig, A.J.F.K., Bissett, C., Galpin, M.D., Olver, B. & Hulley, P.E. (2011). The avifauna of Kwandwe Private Game Reserve. *Koedoe* 53(1): 1-5.
1918. Craig, A.J.F.K., Bonnevie, B.T. & Hulley, P.E. (2011). Honeyguide puzzles. *Afring News* 40: 16-18.
1919. Craig, A.J.F.K. (2011). Mating systems, mist nets, and moulting birds. *Afring News* 40: 19-21.
1920. Craig, A.J.F.K. (2011). What is happening to house sparrows? *Bee-eater* 62(1): 14-16.
1921. Dainat, B., Evans, J.D., Chen, Y.P. & Neumann, P. (2011). Sampling and RNA quality for diagnosis of honey bee viruses using quantitative PCR. *Journal of Virological Methods* 174: 150-152.
1922. Dainat, B., Kuhn, R., Cherix, D. & Neumann, P. (2011). A scientific note on the ant pitfall for quantitative diagnosis of *Varroa destructor*. *Apidologie* 42: 740-742.
1923. De Almeida, L., Froneman, P.W. & Pletschke, B. (2011). Optimization of a Cytochrome-P450-Monooxygenase-1A-Mediated EROD Assay in the Cape Hake Species *Merluccius capensis* and *Merluccius paradoxus* (Pisces). *Enzyme Research* 2011: 1-8.
1924. de Moor, F.C. (2011). A survey of Trichoptera from the Tributaries of the Doring and mainstream Olifants Rivers, Cedarberg, South Africa with implications for conservation. *Zoosymposia* 5: 350-359.
1925. Diaz, E.R. & McQuaid, C.D. (2011). A spatially explicit approach to trophic interactions and landscape formation: patchiness in small-scale variability of grazing effects along an intertidal stress gradient. *Journal of Ecology* 99: 416-430.
1926. Erlandsson, J., McQuaid, C.D. & Stanczak, S. (2011). Recruit/algal interaction prevents recovery of overexploited mussel beds: Indirect evidence that post-settlement mortality structures mussel populations. *Estuarine, Coastal and Shelf Science* 92: 132 – 139.
1927. Erlandsson, J., McQuaid, C.D. & Sköld, M. (2011). Patchiness and co-existence of indigenous and invasive mussels at small spatial scales: The interaction of facilitation and competition. *Plos One* 6(11): 1-9.
1928. Froneman, P.W., Blake, J.D. & Hulley, P. (2011). Aspects of population dynamics and feeding by piscivorous birds in the intermittently open Riet River estuary, Eastern Cape, South Africa. *African Journal of Aquatic Science* 36(1): 101-107.
1929. Goble, T.A., Dames, J.F., Hill, M.P. & Moore, S.D. (2011). Investigation of native isolates of entomopathogenic fungi for the biological control of three citrus pests. *Biocontrol Science and Technology* 21(10): 1193-1211.

1930. Halcroft, M., Spooner-Hart, R. & Neumann, P. (2011). Behavioral defense strategies of the stingless bee, *Austroplebeia australis*, against the small hive beetle, *Aethina tumida*. *Insectes Sociaux* 58: 245-253.
1931. Härtel, S., Wossler, T.C., Moltzer, G.J., Crewe, R.M., Moritz, R.F.A. & Neumann, P. (2011). Pheromone-mediated reproductive dominance hierarchies among pseudo-clonal honeybee workers (*Apis mellifera capensis*). *Apidologie* 42: 659-668.
1932. Henninger, T.O. & Froneman, P.W. (2011). Macrofaunal community structure in the littoral zone of a freshwater-deprived, permanently open Eastern Cape estuary. *African Zoology* 46(2): 263-279.
1933. Heshula, L.U.P. & Hill, M.P. (2011). The effect of *Lantana camara* leaf quality on the performance of *Falconia intermedia*. *BioControl* 56: 925-933.
1934. Hill, M.P., Coetzee, J.A., Julien, M.H. and Center, T.D. 2011. Water hyacinth. In: Simberloff, D. and Rejmánek, M. *Encyclopedia of Biological Invasions*, Berkeley and Los Angeles: University of California Press. pp. 689-692.
1935. Hill, J.M. & McQuaid, C.D. (2011). Stable isotope methods: The effect of gut contents on isotopic ratios of zooplankton. *Estuarine, Coastal and Shelf Science* 92: 480-485.
1936. Humphries, A.T., La Peyre, M.K., Kimball, M.E. & Rozas, L.P. (2011). Testing the effect of habitat structure and complexity on nekton assemblages using experimental oyster reefs. *Journal of Experimental Marine Biology and Ecology* 409: 172-179.
1937. Humphries, A.T., La Peyre, M.K. & Decossas, G.A. (2011). The effect of structural complexity, prey density, and “predator-free space” on prey survivorship at created oyster reef mesocosms. *Plos One* 6(12): 1-7.
1938. Kelly, C.M.R., Branch, W.R., Broadley, D.G., Barker, N.P. & Villet, M.H. (2011). Molecular systematics of the African snake family Lamprophiidae Fitzinger, 1843 (Serpentes: Elapoidea), with particular focus on the genera *Lamprophis* Fitzinger 1843 and *Mehelya* Csiki 1903. *Molecular Phylogenetics and Evolution* 58: 415-426.
1939. Kirk-Spriggs, A.H. (2011). A revision of Afrotropical Quasimodo flies (Diptera: Schizophora; Curtonotidae). Part III – the Malagasy species of *Curtonotum* Macquart, with descriptions of six new species. *African Invertebrates* 52(2): 391-456.
1940. Klein, H., Hill, M.P., Zachariades, C. & Zimmermann, H.G. (2011). Regulation and risk assessment for importations and releases of biological control agents against invasive alien plants in South Africa. *African Entomology* 19(2): 488-497.
1941. Kohler, S.A., Connan, M., Hill, J.M., Mablouké, C., Bonnevie, B., Ludynia, K., Kemper, J., Huisamen, J., Underhill, L.G., Cherel, Y., McQuaid, C.D. & Jaquemet, S. (2011). Geographic variation in the trophic ecology of an avian rocky shore predator,

- the African black oystercatcher, along the southern African coastline. *Marine Ecology Progress Series* 435: 235-249.
1942. Lindsey, P., Tambling, C.J., Brummer, R., Davies-Mostert, H., Hayward, M., Marnewick, K. & Parker, D. (2011). Minimum prey and area requirements of the vulnerable cheetah *Acinonyx jubatus*: implications for reintroduction and management of the species in South Africa. *Oryx* 45(4): 587-599.
1943. Lunt, N. & Mhlanga, M.R. (2011). Defecation rate variability in the common duiker: importance of food quality, season, sex and age. *South African Journal of Wildlife Research* 41(1): 29-35.
1944. Marshall, D.J. & McQuaid, C.D. (2011). Warming reduces metabolic rate in marine snails: adaptation to fluctuating high temperatures challenges the metabolic theory of ecology. *Proceedings of the Royal Society of Biological Sciences* 278: 281-288.
1945. Marshall, D.J., Dong, Y.W., McQuaid, C.D. & Williams, G.A. (2011). Thermal adaptation in the intertidal snail *Echinolittorina malaccana* contradicts current theory by revealing the crucial roles of resting metabolism. *The Journal of Experimental Biology* 214: 3649-3657.
1946. Martin, G.D. & Coetzee, J.A. (2011). Pet stores, aquarists and the internet trade as modes of introduction and spread of invasive macrophytes in South Africa. *Water SA* 37(3): 371-380.
1947. Matcher, G.F., Dorrington, R.A., Henninger, T.O. & Froneman, P.W. (2011). Insights into the bacterial diversity in a freshwater-deprived permanently open Eastern Cape estuary, using 16S rRNA pyrosequencing analysis. *Water SA* 37(3): 381-390.
1948. McIlleron, W.G. & de Moor, F.C. (2011). Photography of Trichoptera in flight. *Zoosymposia* 5: 297-318.
1949. Moran, V.C., Hoffmann, J.H. & Hill, M.P. (2011). A context for the 2011 compilation of reviews on the biological control of invasive alien plants in South Africa. *African Entomology* 19(2): 177-185.
1950. Moritz, R.F.A., Lattorff, M.G., Crous, K.L. & Hepburn, R.H. (2011). Social parasitism of queens and workers in the Cape honeybee (*Apis mellifera capensis*). *Behavioural Ecology and Sociobiology* 65: 735-740.
1951. Neumann, P. & Hepburn, H.R. (2011). Absconding and colony mergers of orphaned Cape honey bees (*Apis mellifera capensis*). *Journal of Apicultural Research* 50(2): 165-166.
1952. Neumann, P., Härtel, S., Kryger, P., Crewe, R.M. & Moritz, R.F.A. (2011). Reproductive division of labour and thelytoky result in sympatric barriers to gene flow in honeybees (*Apis mellifera* L.). *Journal of Evolutionary Biology* 24: 286-294.

1953. Paterson, I.D., Hoffmann, J.H., Klein, H., Mathenge, C.W., Naser, S. & Zimmermann, H.G. (2011). Biological control of Cactaceae in South Africa. *African Entomology* 19(2): 230-246.
1954. Paterson, I.D., Coetzee, J.A., Hill, M.P. & Downie, D.A. (2011). A pre-release assessment of the relationship between the invasive alien plant, *Pereskia aculeate* Miller (Cactaceae), and native plant biodiversity in South Africa. *Biological Control* 57: 59-65.
1955. Pérez. E.A., Coetzee, J.A., Téllez, T.R. & Hill, M.P. (2011). A first report of water hyacinth (*Eichhornia crassipes*) soil seed banks in South Africa. *South African Journal of Botany* 77: 795-800.
1956. Pfaff, M.C., Branch, G.M., Wieters, E.A., Branch, R.A. & Broitman, B.R. (2011). Upwelling intensity and wave exposure determine recruitment of intertidal mussels and barnacles in the southern Benguela upwelling region. *Marine Ecology Progress Series* 425: 141-152.
1957. Porri, F., Hill, J.M. & McQuaid, C.D. (2011). Associations in ephemeral systems: the lack of trophic relationships between sandhoppers and beach wrack. *Marine Ecology Progress Series* 426: 253-262.
1958. Price, B.W., Villet, M.H., Walton, S.M. & Barker, N.P. (2011). Using molecules and morphology to infer the phylogenetic relationships and evolutionary history of the Dirini (Nymphalidae: Satyrinae), a tribe of butterflies endemic to Southern Africa. *Systematic Entomology* 36: 300-316.
1959. Reaugh-Flower, K., Branch, G.M., Harris, J.M., McQuaid, C.D., Currie, B., Dye, A. & Robertson, B. (2011). Scale-dependent patterns and processes of intertidal mussel recruitment around southern Africa. *Marine Ecology Progress Series* 434: 101-119.
1960. Richoux, N.B. (2011). Trophic ecology of zooplankton at a frontal transition zone: fatty acid signatures at the subtropical convergence, Southern Ocean. *Journal of Plankton Research* 33(3): 491-505.
1961. Rius, M., Heasman, K.G. & McQuaid, C.D. (2011). Long-term coexistence of non-indigenous species in aquaculture facilities. *Marine Pollution Bulletin* 62: 2395-2403.
1962. Roberston, M.P., Harris, K.R., Coetzee, J.A., Foxcroft, L.C., Dippenaar-Schoeman, A.S. & van Rensburg, B.J. (2011). Assessing local scale impacts of *Opuntia stricta* (Cactaceae) invasion on beetle and spider diversity in Kruger National Park, South Africa. *African Zoology* 46(2): 205-223.
1963. Schaal, G., Riera, P. & Leroux, C. (2011). Microscale variations of food web functioning within a rocky shore invertebrate community. *Marine Biology* 158: 623-630.

1964. Schäfer, M.O., Ritter, W., Pettis, J.S. & Neumann, P. (2011). Concurrent parasitism alters thermoregulation in honey bee (Hymenoptera: Apidae) winter clusters. *Annals of the Entomological Society of America* 104(3): 476-482.
1965. Taylor, S.J., Downie, D.A. & Paterson, I.D. (2011). Genetic diversity of introduced populations of the water hyacinth biological control agent *Eccritotarsus catarinensis* (Hemiptera: Miridae). *Biological Control* 58: 330-336.
1966. Teske, P.R., Papadopoulos, I., Mmonwa, L., Matumba, T.G., McQuaid, C.D., Barker, N.P. & Beheregaray, L.B. (2011). Climate-driven genetic divergence of limpets with different life histories across a southeast African marine biogeographic disjunction: different processes, same outcome. *Molecular Ecology* 20: 5025-5041.
1967. Van der Bank, M.G., Utne-Palm, A.C., Pittman, K., Sweetman, A.K., Richoux, N.B., Brüchert, V. & Gibbons, M.J. (2011). Dietary success of a 'new' key fish in an overfished ecosystem: evidence from fatty acid and stable isotope signatures. *Marine Ecology Progress Series* 428: 219-233.
1968. Villet, M.H. (2011). African carrion ecosystems and their insect communities in relation to forensic entomology. *Pest Technology* 5(1): 1-15.
1969. Whittington-Jones, G.M., Bernard, R.T.F. & Parker, D.M. (2011). Aardvark burrows: a potential resource for animals in arid and semi-arid environments. *African Zoology* 46(2): 362-370.
1970. Zardi, G.I., Nicastro, K.R., McQuaid, C.D., Hancke, L. & Helmuth, B. (2011). The combination of selection and dispersal helps explain genetic structure in intertidal mussels. *Oecologia* 165: 947-958.